

SKYJACKER® SHOCK OPTIONS

Skyjacker® Hydro and Nitro Shocks Skyjacker® Suspensions offers you a high quality shock absorber with true velocity sensitive valving. Shock absorbers, or spring dampers as it is called everywhere else except in the U.S., control the rate at which suspension springs compress and rebound. As the shock is pushed together, this is called bump or compression. As the shock expands, this is called rebound or extension. Absorbing the 'shock' of bumps and suspension loading is actually performed by the springs in the suspension. The shock's real job is controlling the energy stored in the springs.



HYDRO H7000 Series Shocks are recommended for multiple shock applications and mild to moderate off-road use.

HYDRO 7000 FEATURES

- Hydraulic Action
- Multi-Stage Velocity Sensitive Valving
- Twin Tube Construction
- Bonded Iron Piston
- Chromed Piston Rod with Micro Pores
- Red Polyurethane Bushings
- Includes Red Boot
- Limited Lifetime Warranty

Bonded Iron Piston

For Durability and Longer Shock Life

D.O.M. Tubing

Reduces Internal Wear for Longer Product Life

Chromed Piston Rod

Features Micro Polished Shaft for Improved Product Life and Performance

Orifice Disk

For Axle Control in any Condition.

Leak Proof Seal

Prevents Hydraulic Fluid from passing around Piston Head for a Consistent and Reliable Ride

Performance The performance specific internal components of Skyjacker's shocks respond to the on- and off-road conditions instantly. Whether you are going over rough or smooth terrain at slow or fast speeds, the true velocity sensitive valving produces a stable, controlled level of resistance for better handling, improved stability, and maximum comfort. The technological innovations of these durable, long lasting shocks from Skyjacker® deliver a noticeable advantage over the original equipment and other shock dampeners. Skyjacker's shock absorbers deliver a safe, comfortable ride with improved handling and stability. They keep the tires in contact with the terrain and put you in control of the road ahead.



NITRO N8000 Series Shocks are recommended for full-size vehicles and moderate to extreme off-road applications.

NITRO 8000 FEATURES

- 150 PSI Pressurized Nitrogen Gas
- Multi-Stage Velocity Sensitive Valving
- Twin Tube Construction
- Bonded Iron Piston
- Chromed Piston Rod with Micro Pores
- Red Polyurethane Bushings
- Includes Red Boot
- Limited Lifetime Warranty



SKYJACKER® SHOCK OPTIONS

Skyjacker® Steering Stabilizer A steering stabilizer is a dampening shock for your steering system. It dampens out the harshness of the highway, the 'shimmy' from running the additional weight of larger tires & wheels and places control back into the driver's hands. Stabilizers also reduce the fatigue of the driver on a personal level by reducing the amount of physical strength it takes to guide those larger tires on and off the road. Changing the weak stock unit for a better performing replacement or adding dual steering stabilizers is an inexpensive but worthy investment.



Replacement Shock Boots

Skyjacker® offers replacement shock boots in a variety of colors.



Platinum Series Coil-Overs Skyjacker® has created a Shock & Coil unit that will take your extreme off-road experience to the highest level. PLATINUM Series Coil-Overs are available as part of a Skyjacker® Suspension System or separately as an Up-grade to your existing system.

Platinum Coils Only 5160H alloy material is used to ensure the consistency of all the PLATINUM Series Coils. Each spring is preset to solid to add memory and eliminate settling. They are then load tested at 100% curb weight. A final height rate test is used to certify the consistency of the pound rate through the complete travel cycle.

Platinum Coils wrap the Platinum Coil-Over Shocks which Feature...

- Massive 2-2.5" O.D. Steel Cylinder Honed to +/- .001"
- 7/8" High Carbon Induction Hardened, Micro Polished Steel Shaft
- Heat-Treated Stainless Steel Valving for High Temperature and High-Pressure Operation
- 7075 Aluminum Alloy Rod Ends Fitted with Teflon Lined Stainless Spherical Bearings
- Piston is Made from A 7075 Alloy and Fitted with a High Temperature Viton Wiper Seal
- Each End has a 7075-Aluminum Alloy Rod End Fitted with Teflon Lined Stainless Spherical Bearings

SKYJACKER® COIL FEATURES

- Each Coil is 100% Load and Dimensionally Tested
- CNC Wound Coil
- Preset Solid to Eliminate Settling
- 5160h Alloy Material



SHOCK APPLICATION GUIDE

Lift Height		HYDRO		Front	NITRO		Front
Front	Rear	Front	Rear	Dual	Front	Rear	Dual
CADILLAC							
99-01 Escalade 4WD							
0"	0"	H7081 ^(A10)	H7084 ^(A10)	-----	N8081 ^(A10)	N8084 ^(A10)	-----
SHOCK NOTES: A10. Shocks not intended for Auto Ride Models.							
CHEVROLET \ GMC							
06-09 Avalanche 1500 4WD (Strut Front End)							
-----	2-3"	-----	H7030	-----	-----	N8030	-----
-----	4-6"	-----	H7070	-----	-----	N8070	-----
02-06 Avalanche 1500 4WD							
0-1"	0-3"	H7009 ^(A10)	H7017 ^(A10)	-----	N8009 ^(A10)	N8017 ^(A10)	-----
3-4"	0-3"	H7003 ^(A10)	H7017 ^(A10)	-----	N8003 ^(A10)	N8017 ^(A10)	-----
5-6"	4-6"	H7096 ^(A10)	H7036 ^(A10)	-----	N8096 ^(A10)	N8036 ^(A10)	-----
SHOCK NOTES: A10. Shocks not intended for Auto Ride Models.							
02-06 Avalanche 2500 4WD							
0-1"	0-2"	H7074 ^(A10)	H7017 ^(A10)	-----	N8074 ^(A10)	N8017 ^(A10)	-----
5-6"	3-6"	H7074 ^(A10)	H7036 ^(A10)	-----	N8074 ^(A10)	N8036 ^(A10)	-----
SHOCK NOTES: A10. Shocks not intended for Auto Ride Models.							
04-10 Colorado/Canyon 4WD/2WD							
3-5"	3-4"	H7040 ^(A10)	H7084 ^(A10)	-----	N8040 ^(A10)	N8084 ^(A10)	-----
07-10 1500 Pickup 4WD (Strut Front End)							
-----	0"	-----	H7027	-----	-----	N8027	-----
-----	1.5-3"	-----	H7017	-----	-----	N8017	-----
-----	4-6"	-----	H7036	-----	-----	N8036	-----
88-06 1500 Pickup 2WD							
0-2"		H7006		-----	-----		-----
99-06 K1500 Pickup 4WD							
0-1"	0-2"	H7009 ^(A10)	H7017 ^(A10)	-----	N8009 ^(A10)	N8017 ^(A10)	-----
2-3"	0-2"	H7003 ^(A10)	H7017 ^(A10)	-----	N8003 ^(A10)	N8017 ^(A10)	-----
5-6"	3-6"	H7096 ^(A10)	H7036 ^(A10)	-----	N8096 ^(A10)	N8036 ^(A10)	-----
SHOCK NOTES: A10. Shocks not intended for Auto Ride Models.							
01-06 1500HD Pickup 4WD							
0"	0-3"	H7019 ^(A10)	H7017 ^(A10)	-----	N8019 ^(A10)	N8017 ^(A10)	-----
5-6"	4-6"	H7074 ^(A10)	H7036 ^(A10)	-----	N8074 ^(A10)	N8036 ^(A10)	-----
SHOCK NOTES: A10. Shocks not intended for Auto Ride Models.							
01-10 2500HD Pickup 4WD							
0"	0-2"	H7019 ^(A10)	H7017 ^(A10)	-----	N8019 ^(A10)	N8017 ^(A10)	-----
5-6"	3-6"	H7074 ^(A10)	H7036 ^(A10)	-----	N8074 ^(A10)	N8036 ^(A10)	-----
SHOCK NOTES: A10. Shocks not intended for Auto Ride Models.							
02-10 Hummer H2 4WD							
0"	0-2"	H7019	H7017	-----	N8019	N8017	-----
5-6"	3-6"	H7091	H7036	-----	N8091	N8036	-----
07-10 Suburban/Yukon XL 1500 4WD (Strut Front End)							
-----	2-3"	-----	H7030	-----	-----	N8030	-----
-----	4-6"	-----	H7070	-----	-----	N8070	-----
00-06 Suburban 1500 4WD							
0-1"	0-3"	H7009 ^(A10)	H7017 ^(A10)	-----	N8009 ^(A10)	N8017 ^(A10)	-----
3-4"	0-3"	H7003 ^(A10)	H7017 ^(A10)	-----	N8003 ^(A10)	N8017 ^(A10)	-----
5-6"	4-6"	H7096 ^(A10)	H7036 ^(A10)	-----	N8096 ^(A10)	N8036 ^(A10)	-----
SHOCK NOTES: A10. Shocks not intended for Auto Ride Models.							
07-10 Tahoe/Yukon (Strut Front End)							
-----	2-3"	-----	H7030	-----	-----	N8030	-----
-----	4-6"	-----	H7070	-----	-----	N8070	-----
00-06 Tahoe/Yukon 1500 4WD							
0-1"	0-3"	H7009 ^(A10)	H7017 ^(A10)	-----	N8009 ^(A10)	N8017 ^(A10)	-----
3-4"	0-3"	H7003 ^(A10)	H7017 ^(A10)	-----	N8003 ^(A10)	N8017 ^(A10)	-----
5-6"	4-6"	H7096 ^(A10)	H7036 ^(A10)	-----	N8096 ^(A10)	N8036 ^(A10)	-----
SHOCK NOTES: A10. Shocks not intended for Auto Ride Models.							
07-10 Yukon XL 1500 4WD (Strut Front End)							
-----	2-3"	-----	H7030	-----	-----	N8030	-----
-----	4-6"	-----	H7070	-----	-----	N8070	-----

SHOCK APPLICATION GUIDE

Lift Height		HYDRO		Front	NITRO		Front
Front	Rear	Front	Rear	Dual	Front	Rear	Dual
00-06 Yukon XL 1500 4WD							
0-1"	0-3"	H7009 ^(A10)	H7017 ^(A10)	-----	N8009 ^(A10)	N8017 ^(A10)	-----
3-4"	0-3"	H7003 ^(A10)	H7017 ^(A10)	-----	N8003 ^(A10)	N8017 ^(A10)	-----
5-6"	4-6"	H7096 ^(A10)	H7036 ^(A10)	-----	N8096 ^(A10)	N8036 ^(A10)	-----
SHOCK NOTES: A10. Shocks not intended for Auto Ride Models.							
00-06 Tahoe/Yukon 2500 4WD							
0"	0-2"	H7019 ^(A10)	H7017 ^(A10)	-----	N8019 ^(A10)	N8017 ^(A10)	-----
5-6"	3-6"	H7074 ^(A10)	H7036 ^(A10)	-----	N8074 ^(A10)	N8036 ^(A10)	-----
SHOCK NOTES: A10. Shocks not intended for Auto Ride Models.							
88-98 1/2, 3/4 & 1 Ton Pickup 4WD with IFS							
0-3"	0-2"	H7081	H7083	-----	N8081	N8083	-----
4-6"	3-5.5"	H7085	H7086	-----	N8085	N8086	-----
73-87 1/2 & 3/4 Ton Pickup 4WD							
0-1.5"	0-1.5"	H7021	H7043	H7023	N8021	N8043	N8023
2-5"	2-4"	H7051	H7053	H7058	N8051	N8053	N8058
73-87 1/2 & 3/4 Ton Pickup 4WD							
6-8"	4.5-8"	H7071	H7073	H7060	N8071	N8073	N8060
9-12"	9-12"	H7032	H7078	H7079	N8032	N8078	N8079
67-72 1/2 & 3/4 Ton Pickup, Blazer, Jimmy 4WD							
0-1.5"	0-1.5"	H7021	H7023	-----	N8021	N8023	-----
2-5"	2-4"	H7051	H7041	-----	N8051	N8041	-----
6-8"	4.5-8"	H7071	H7060	-----	N8071	N8060	-----
77-87 1 Ton Pickup 4WD							
0-1.5"	0-1.5"	H7021	H7053	H7023	N8021	N8053	N8023
2-5"	2-4"	H7051	H7073	H7058	N8051	N8073	N8058
6-8"	4.5-10"	H7071	H7078	H7060	N8071	N8078	N8060
9-12"	4.5-10"	H7032	H7078	H7079	N8032	N8078	N8079
87-91 R-30 / R-3500 1 Ton Pickup 2WD - Includes Crew Cab							
0"	0"	H7080	H7023	-----	-----	N8023	-----
73-87 1/2, 3/4 & 1 Ton C10, C20 & C30 Pickup 2WD							
0-1"	0-2"	H7080	H7043	-----	-----	N8043	-----
1.5-3"	3-4"	H7011	H7083	-----	N8011	N8083	-----
63-72 1/2, 3/4 & 1 Ton C10, C20 & C30 Pickup 2WD							
0-1"	0"	H7080	H7012	-----	-----	N8012	-----
1.5-3"	1-3"	H7011	H7023	-----	N8011	N8023	-----
02-06 Suburban 1500 4WD							
0-1"	0-2"	H7009 ^(A10)	H7017 ^(A10)	-----	N8009 ^(A10)	N8017 ^(A10)	-----
3-4"	0-2"	H7003 ^(A10)	H7017 ^(A10)	-----	N8003 ^(A10)	N8017 ^(A10)	-----
5-6"	3-6"	H7096 ^(A10)	H7036 ^(A10)	-----	N8096 ^(A10)	N8036 ^(A10)	-----
SHOCK NOTES: A10. Shocks not intended for Auto Ride Models.							
02-06 Suburban 2500 4WD							
0"	0-2"	H7019	H7017	-----	N8019	N8017	-----
5-6"	3-6"	H7074	H7036	-----	N8074	N8036	-----
92-99 Blazer, Yukon 4WD							
0-3"	0-2"	H7081	H7083	-----	N8081	N8083	-----
4-6"	3-5.5"	H7085	H7086	-----	N8085	N8086	-----
92-99 Suburban 4WD							
0-3"	0-2.5"	H7081	H7084	-----	N8081	N8084	-----
4-6"	3-5.5"	H7085	H7086	-----	N8085	N8086	-----
73-91 Blazer, Jimmy, Suburban 4WD							
0-1.5"	0-1.5"	H7021	H7043	H7023	N8021	N8043	N8023
2-5"	2-4"	H7051	H7053	H7058	N8051	N8053	N8058
6-8"	4.5-8"	H7071	H7073	H7060	N8071	N8073	N8060
9-12"	9-12"	H7032	H7078	H7079	N8032	N8078	N8079
73-84 Blazer, Jimmy 2WD - Full-Size							
0-1"	0-2"	H7080	H7043	-----	-----	N8043	-----
1.5-3"	3-4"	H7011	H7083	-----	N8011	N8083	-----
67-72 Blazer, Jimmy 2WD							
0-1"	0"	H7080	H7012	-----	-----	N8012	-----
1.5-3"	1-3"	H7011	H7023	-----	N8011	N8023	-----
69-91 Suburban 2WD							
0-1"	0-2"	H7080	H7043	-----	-----	N8043	-----
1.5-3"	3-4"	H7011	H7083	-----	N8011	N8083	-----

SHOCK APPLICATION GUIDE

Lift Height		HYDRO		Front	NITRO		Front
Front	Rear	Front	Rear	Dual	Front	Rear	Dual
94-98 S10 / S15 Series Pickup 4WD with ZR2 Package							
0-2"	0-2"	H7082	H7072	-----	N8082	N8072	-----
0-3"	0-3"	H7082	H7083	-----	N8082	N8083	-----
DAIHATSU							
74-82 Taft 4WD							
0-1"	0"	H7012	H7012	-----	N8012	N8012	-----
82-90 Rocky 4WD							
0-1"	0"	H7054	H7054	-----	N8054	N8054	-----
DODGE							
09-10 Ram 1500 Pickup 4WD							
-----	0"	-----	H7017	-----	-----	N8017	-----
-----	4-6"	-----	H7036	-----	-----	N8036	-----
03-08 Ram 2500/3500 Pickup 4WD							
1-2.5"	0-4.5"	H7092	H7036	-----	N8092	N8036	-----
4-4.5"	0-4.5"	H7094	H7036	-----	N8094	N8036	-----
02-05 Ram 1500 Pickup 2WD							
1-2"		H7020	-----	-----	-----	-----	-----
02-05 Ram 1500 Pickup 4WD							
0"	0"	H7019	H7017	-----	N8019	N8017	-----
5-6"	3-6"	H7091	H7036	-----	N8091	N8036	-----
94-01 1/2 Ton Ram Pickup 2WD							
1-2"	-----	H7010	-----	-----	-----	-----	-----
94-01 1/2 Ton Ram Pickup 4WD							
0-1"	0"	H7091	H7027	-----	N8091	N8027	-----
2-3"	1-5"	H7092	H7017	-----	N8092	N8017	-----
4-5"	1-5"	H7093	H7017	-----	N8093	N8017	-----
94-02 3/4 & 1 Ton Ram Pickup 4WD with V10/Cummins Engine							
0-1"	0-1"	H7091	H7017	-----	N8091	N8017	-----
1.5-3"	1.5-4.5"	H7092	H7036	-----	N8092	N8036	-----
4-5"	1.5-4.5	H7094	H7036	-----	N8094	N8036	-----
61-93 1/2, 3/4 & 1 Ton Pickup 4WD							
0-1"	0-3.5"	H7047	H7038	-----	N8047	N8038	-----
1.5-3"	0-3.5"	H7027	H7038	-----	N8027	N8038	-----
4"	0-3.5"	H7017	H7038	-----	N8017	N8038	-----
5-6"	4-7"	H7017	H7068	-----	N8017	N8068	-----
7-8"	4-7"	H7036	H7068	-----	N8036	N8068	-----
61-93 Ramcharger, Trailduster 4WD							
0-1"	0-3.5"	H7047	H7038	-----	N8047	N8038	-----
1.5-3"	0-3.5"	H7027	H7038	-----	N8027	N8038	-----
4"	0-3.5"	H7017	H7038	-----	N8017	N8038	-----
5-6"	4-7"	H7017	H7068	-----	N8017	N8068	-----
7-8"	4-7"	H7036	H7068	-----	N8036	N8068	-----
61-71 D200 3/4 Ton Pickup 2WD							
0-2"	0-2"	H7017	H7058	-----	N8017	N8058	-----
61-71 D300 1 Ton Pickup 2WD							
0"	0"	H7017	H7012	-----	N8017	N8012	-----
97-99 Dakota 4WD							
0"	0"	H7052	H7058	-----	N8052	N8058	-----
3-4"	3-4"	H7054	H7017	-----	N8054	N8017	-----
86-96 Dakota 4WD							
0-1.5"	0"	H7052	H7029	-----	N8052	N8029	-----
2-4"	1-3"	H7054	H7039	-----	N8054	N8039	-----
82-91 Ram D50 Mini 4WD							
1-2"	0-2"	H7013	H7058	-----	N8013	N8058	-----
79-92 Ram D50 Mini 2WD							
1-2"	0-2"	H7013	H7012	-----	N8013	N8012	-----
89-91 Raider 4WD with V6 Engine							
1-2"	0-2"	H7013	H7012	-----	N8013	N8012	-----
87-89 Raider 4WD with 4 CYL. Engine							
1-2"	0-2"	H7013	H7023	-----	N8013	N8023	-----
79-82 Plymouth Arrow 4WD							
1-2"	0-2"	H7013	H7023	-----	N8013	N8023	-----

SHOCK APPLICATION GUIDE

Lift Height		HYDRO		Front	NITRO		Front
Front	Rear	Front	Rear	Dual	Front	Rear	Dual
FORD							
04-10 F-150 4WD / 2WD							
-----	0-2.5"	-----	H7041	-----	-----	N8041	-----
-----	3-6"	-----	H7060	-----	-----	N8060	-----
97-03 F-150 & SuperCrew 4WD							
0-1"	0"	H7052	H7059	-----	N8052	N8059	-----
5-6"	1-5"	H7097	H7061	-----	N8097	N8061	-----
80-96 F-150 4WD							
0-2"	0-1"	H7052	H7058	H7054	N8052	N8058	N8054
3"	1.5-5"	H7054	H7060	H7055	N8054	N8060	N8055
4"	1.5-5"	H7054	H7060	H7057	N8054	N8060	N8057
5-6"	1.5-5"	H7055	H7060	H7057	N8055	N8060	N8057
7-8"	6-9"	H7055	H7079	H7057	N8055	N8079	N8057
77-79 F-100, F-150 4WD							
0-2"	0-1"	H7054 (A)	H7055	H7055 (B)	N8054 (A)	N8055	N8055 (B)
3-4"	1.5-2"	H7055 (A)	H7056	H7056 (B)	N8055 (A)	N8056	N8056 (B)
5-6"	3.5-4"	H7056 (A)	H7059	H7059 (B)	N8056 (A)	N8059	N8059 (B)
7-9"	5-8"	H7059 (A)	H7061	H7061 (B)	N8059 (A)	N8061	N8061 (B)
70-76 F-100, F-150 4WD							
0-1"	0-1"	H7012	H7055	H7055	N8012	N8055	N8055
1.5-4"	1.5-2"	H7023	H7056	H7056	N8023	N8056	N8056
5-6"	3.5-4"	H7058	H7059	H7059	N8058	N8059	N8059
7-9"	5-8"	H7060	H7061	H7061	N8060	N8061	N8061
66-69 F-100, F-150 4WD							
0-1"	0"	H7012	H7023	-----	N8012	N8023	-----
1.5-4"	1-3"	H7023	H7058	-----	N8023	N8058	-----
5-6"	3.5-4.5"	H7058	H7041	-----	N8058	N8041	-----
7-9"	5-8"	H7060	H7060	-----	N8060	N8060	-----
97-03 F-150 2WD							
0-1"	0"	H7013	H7056		N8013	N8056	
80-96 F-150 2WD							
0-2"	0-3.5"	H7052	H7058	H7054	N8052	N8058	N8054
3"	0-3.5"	H7054	H7058	H7055	N8054	N8058	N8055
4"	0-3.5"	H7054	H7058	H7057	N8054	N8058	N8057
5-8"	4-8"	H7055	H7060	H7057	N8055	N8060	N8057
70-79 F-100, F-150 2WD Except Crew Cab							
0-1"	0-1"	H7052	H7054	-----	N8052	N8054	-----
2-3"	2-3"	H7054	H7055	-----	N8054	N8055	-----
80-96 Bronco 4WD, 2WD							
0-2"	0-3.5"	H7052	H7058	H7055	N8052	N8058	N8055
3"	0-3.5"	H7054	H7058	H7055	N8054	N8058	N8055
4"	0-3.5"	H7054	H7058	H7057	N8054	N8058	N8057
5-8"	4-8"	H7055	H7060	H7057	N8055	N8060	N8057
78-79 Bronco 4WD							
0-1"	0"	H7054 (A)	H7012	H7055 (B)	N8054 (A)	N8012	N8055 (B)
1.5-2"	1-2"	H7054 (A)	H7023	H7055 (B)	N8055 (A)	N8023	N8055 (B)
3.5-4"	3-5"	H7055 (A)	H7058	H7056 (B)	N8056 (A)	N8058	N8056 (B)
5-6"	3-5"	H7056 (A)	H7058	H7059 (B)	N8059 (A)	N8058	N8059 (B)
7-9"	6-10"	H7059 (A)	H7060	H7061 (B)	N8061 (A)	N8060	N8061 (B)
67-77 Bronco 4WD							
0-1"	0"	H7054	H7012	-----	N8054	N8012	-----
2-3"	1-2.5"	H7055	H7023	-----	N8055	N8023	-----
4-6"	3.5-5"	H7055	H7058	-----	N8055	N8058	-----
6.5-8"	5.5-10"	H7056	H7060	-----	N8056	N8060	-----
00-04 Excursion 4WD (Leaf Spring Front End)							
0-3"	0"	H7023	H7034	-----	N8023	N8034	-----
4-6"	1-4.5"	H7041	H7034	-----	N8041	N8034	-----
7-8"	5.5-8"	H7060	H7077	-----	N8060	N8077	-----
05-10 F-250 Super Duty 4WD							
0-3"	0-3"	H7091	H7060	-----	N8091	N8060	-----
3.5-5"	3.5-5"	H7092	H7079	-----	N8092	N8079	-----
6-7"	6-7"	H7093	H7079	-----	N8093	N8079	-----

SHOCK APPLICATION GUIDE

Lift Height		HYDRO		Front	NITRO		Front
Front	Rear	Front	Rear	Dual	Front	Rear	Dual
99-04 F-250 Super Duty 4WD							
0-3"	0-1"	H7023	H7060	-----	N8023	N8060	-----
4-5"	2-7"	H7041	H7079	-----	N8041	N8079	-----
6-8"	2-7"	H7060	H7079	-----	N8060	N8079	-----
(A) Ahead of Axle. (B) Behind Axle.							
97-98 F-250 HD 4WD with IFS Leaf Spring Front							
0-2"	0-1"	H7023	H7058	-----	N8023	N8058	-----
87-97 F-250 4WD with IFS							
0-2"	0-1"	H7023	H7058	-----	N8023	N8058	-----
3-6"	1.5-5"	H7041	H7060	-----	N8041	N8060	-----
80-86 F-250 4WD with IFS							
0-2"	0-1"	H7054	H7058	-----	N8054	N8058	-----
3-4"	1.5-5"	H7055	H7060	-----	N8055	N8060	-----
5-6"	1.5-5"	H7056	H7060	-----	N8056	N8060	-----
5-8"	6-8"	H7056	H7079	-----	N8056	N8079	-----
77.5-79 F-250 4WD High Boy							
0"	0"	-----	H7055	-----	-----	N8055	-----
1-3"	1-3"	-----	H7056	-----	-----	N8056	-----
3.5-4"	1-3"	-----	H7056	-----	N8014	N8056	-----
5-7"	3.5-6"	-----	H7059	-----	N8014	N8059	-----
66-77 F-250 4WD Low Boy							
-----	0-4"	-----	H7058	-----	-----	N8058	-----
2-4"	0-4"	-----	H7058	-----	N8014	N8058	-----
97-98 F-250 Light Duty 2WD							
3-6"	1.5-5"	H7041	H7060	-----	N8041	N8060	-----
80-96 F-250 2WD							
0-2"	0-3"	H7052	H7058	-----	N8052	N8058	-----
3-4"	0-3"	H7054	H7058	-----	N8054	N8058	-----
5-8"	3.5-6"	H7055	H7060	-----	N8055	N8060	-----
05-10 F-350 Super Duty 4WD							
0-3"	0-3"	H7091	H7060	-----	N8091	N8060	-----
3.5-5"	3.5-5"	H7092	H7079	-----	N8092	N8079	-----
6-7"	6-7"	H7093	H7079	-----	N8093	N8079	-----
99-04 F-350 Super Duty 4WD							
0-3"	0-1"	H7023	H7060	-----	N8023	N8060	-----
4-5"	2-7"	H7041	H7079	-----	N8041	N8079	-----
6-8"	2-7"	H7060	H7079	-----	N8060	N8079	-----
86-98 F-350 4WD with Straight Axle							
0-2"	0-4"	H7023	H7060	-----	N8023	N8060	-----
3-4"	0-4"	H7041	H7060	-----	N8041	N8060	-----
5-6"	0-4"	H7060	H7060	-----	N8060	N8060	-----
80-85 F-350 4WD with IFS							
0-2"	0-1"	H7054	H7058	-----	N8054	N8058	-----
3-6"	1.5-5"	H7055	H7060	-----	N8055	N8060	-----
79 F-350 4WD							
1-2"	1-3"	-----	H7056	-----	-----	N8056	-----
3-4"	1-3"	-----	H7056	-----	N8014	N8056	-----
5-7"	3.5-6"	-----	H7059	-----	N8014	N8059	-----
80-96 F-350 2WD							
0-2"	0-3"	H7052	H7058	-----	N8052	N8058	-----
3-4"	0-3"	H7054	H7058	-----	N8054	N8058	-----
5-8"	3.5-6"	H7055	H7060	-----	N8055	N8060	-----
83-97 Ranger & Splash 4WD							
0-2"	0-1"	H7052	H7058	-----	N8052	N8058	-----
3"	0-1"	H7054	H7058	-----	N8054	N8058	-----
4"	1.5-4.5"	H7054	H7060	-----	N8054	N8060	-----
5-6"	1.5-4.5"	H7055	H7060	-----	N8055	N8060	-----
7-8"	5-6"	H7055	H7079	-----	N8055	N8079	-----
83-97 Ranger 2WD & Bronco II 4WD, 2WD							
0-2"	0-3.5"	H7052	H7058	-----	N8052	N8058	-----
3-4"	0-3.5"	H7054	H7058	-----	N8054	N8058	-----
5-8"	4-8"	H7055	H7060	-----	N8055	N8060	-----

SHOCK APPLICATION GUIDE

Lift Height		HYDRO		Front	NITRO		Front
Front	Rear	Front	Rear	Dual	Front	Rear	Dual
90-94 Explorer 4WD, 2WD							
0-2"	0-2"	H7052	H7029	-----	N8052	N8029	-----
3-4"	3-6"	H7054	H7039	-----	N8054	N8039	-----
5-6"	3-6"	H7055	H7039	-----	N8055	N8039	-----
HONDA							
94-95 Passport 4WD							
0"	0"	H7052	H7055	-----	N8052	N8055	-----
ISUZU							
05-08 Isuzu I-Series 4WD							
3-5"	3-4"	H7040	H7084	-----	N8040	N8074	-----
89-95 Amigo 4WD, 2WD							
0-1"	0"	H7052	H7023	-----	N8052	N8023	-----
87-91 Trooper II 4WD							
0-1"	0"	H7052	H7055	-----	N8052	N8055	-----
84-86 Trooper II 4WD							
0-1"	0"	H7052	H7023	-----	N8052	N8023	-----
81-92 Pickup 4WD							
1-2"	0-1"	H7052	H7012	-----	N8052	N8012	-----
91-95 Pickup 2WD							
0"	0"	H7052	H7023	-----	N8052	N8023	-----
JEEP							
07-10 Wrangler JK 2-Door & 4-Door 4WD							
1-3.5"	2-3.5"	H7035	H7037	-----	N8035	N8037	-----
4-5"	4-5"	H7065	H7067	-----	N8065	N8067	-----
6-7"	6-7"	H7075	H7087	-----	N8075	N8087	-----
97-06 Wrangler TJ /Unlimited/Rubicon 4WD (TJ Rear Shock Relocation Brackets Available, Part# TJRSB10)							
0"	0"	H7015	H7008	-----	N8015	N8008	-----
1-3"	1-3"	H7016	H7018	-----	N8016	N8018	-----
3.5-4"	3.5-4"	H7025	H7028	-----	N8025	N8028	-----
6-9"	6-8"	H7049	H7063	-----	N8049	N8063	-----
87-96 Wrangler YJ 4WD							
0-1"	0"	H7055	H7012	-----	N8055	N8012	-----
2-2.5"	1-2.5"	H7056	H7023	-----	N8056	N8023	-----
3.5-4"	3-6"	H7059	H7088	-----	N8059	N8088	-----
5-6"	3-6"	H7061	H7088	-----	N8061	N8088	-----
82-86 CJ5, CJ7 & Scrambler 4WD							
0-2.5"	0-2.5"	H7012	H7023	-----	N8012	N8023	-----
3-5"	3-5"	H7023	H7058	-----	N8023	N8058	-----
76-81 CJ5, CJ7 & Scrambler 4WD							
0-2.5"	0"	H7012	H7012	-----	N8012	N8012	-----
0-2.5"	1-3"	H7012	H7023	-----	N8012	N8023	-----
3-5"	1-3"	H7023	H7023	-----	N8023	N8023	-----
3-5"	3.5-5.5"	H7023	H7058	-----	N8023	N8058	-----
55-75 CJ5, CJ6, 3B & M38A1 4WD							
0-1"	0"	H7012	H7012	-----	N8012	N8012	-----
1.5-2.5"	1-3"	H7023	H7023	-----	N8023	N8023	-----
3-5"	3.5-5.5"	H7058	H7058	-----	N8058	N8058	-----
41-63 MB, M38, CJ2A, CJ3A & CJ3B 4WD							
0-1"	0-1"	H7012	H7012	-----	N8012	N8012	-----
All U.S. Post Office Jeep FJ8A & FJ9 2WD							
0"	0"	H7012	H7012	-----	N8012	N8012	-----
02-10 Liberty KJ 4WD, 2WD							
-----	2.5"	-----	H7088	-----	-----	N8088	-----
84-01 Cherokee XJ 4WD, 2WD							
0-3"	0"	H7016	H7008	-----	N8016	N8008	-----
0-3"	1-3"	H7016	H7018	-----	N8016	N8018	-----
4-5"	4-5"	H7025	H7028	-----	N8025	N8028	-----
6-8"	5-8"	H7049	H7063	-----	N8049	N8063	-----
99-04 Grand Cherokee WJ 4WD, 2WD							
0"	0"	H7016	H7042	-----	N8016	N8042	-----
2-3"	2-3"	H7016	H7044	-----	N8016	N8044	-----

SHOCK APPLICATION GUIDE

Lift Height		HYDRO		Front	NITRO		Front
Front	Rear	Front	Rear	Dual	Front	Rear	Dual
93-98 Grand Cherokee ZJ 4WD, 2WD							
0-3"	0-3"	H7016	H7023	-----	N8016	N8023	-----
4-5"	4-5"	H7025	H7058	-----	N8025	N8058	-----
84-91 Grand Wagoneer 4WD - Full-Size							
0-1"	0-1"	H7012	H7012	-----	N8012	N8012	-----
2-3"	2-3"	H7023	H7023	-----	N8023	N8023	-----
4-5"	4-5"	H7088	H7088	-----	N8088	N8088	-----
74-83 Cherokee, Wagoneer 4WD - Full-Size							
0-1"	0-1"	H7012	H7012	-----	N8012	N8012	-----
2-3"	2-3"	H7023	H7023	-----	N8023	N8023	-----
4-5"	4-5"	H7088	H7088	-----	N8088	N8088	-----
86-92 Comanche MJ 4WD, 2WD							
0-3"	0-3"	H7016	H7023	-----	N8016	N8023	-----
4-5"	4-5"	H7025	H7058	-----	N8025	N8058	-----
74-88 J10, J20 Pickup 4WD							
0-1"	0-1"	H7012	H7012	-----	N8012	N8012	-----
2-3"	2-3"	H7023	H7023	-----	N8023	N8023	-----
74-88 J10, J20 Pickup 4WD							
4-5"	4-5"	H7088	H7088	-----	N8088	N8088	-----
63-73 Wagoneer 4WD							
2-3"	2-4"	H7058	H7023	-----	N8058	N8023	-----
69-73 Jeepster, C101 & Commando 4WD							
0-2"	0-2"	H7012	H7023	-----	N8012	N8023	-----
3-4"	3-4"	H7023	H7058	-----	N8023	N8058	-----
47-62 Utility Wagon 4WD							
2-4"	2-4"	H7012	H7023	-----	N8012	N8023	-----
63-73 Gladiator 4WD							
0-1"	0-1"	H7012	H7012	-----	N8012	N8012	-----
2-3"	2-3"	H7058	H7023	-----	N8058	N8023	-----
47-62 Utility Truck 4WD							
1.5-2"	1.5-2"	H7012	H7012	-----	N8012	N8012	-----
LINCOLN							
Mark LT 4WD							
-----	0-2.5"	-----	H7041	-----	-----	N8041	-----
MAZDA							
94-97 B4000 4WD							
0-2"	0-4"	H7052	H7060	-----	N8052	N8060	-----
3-4"	0-4"	H7054	H7060	-----	N8054	N8060	-----
5-6"	0-4"	H7055	H7060	-----	N8055	N8060	-----
87-93 B2600 4WD							
0-2"	0-1"	H7052	H7027	-----	N8052	N8027	-----
90-94 Navajo 4WD							
0-2"	0-2"	H7052	H7029	-----	N8052	N8029	-----
3-4"	3-8"	H7054	H7039	-----	N8054	N8039	-----
5-8"	3-8"	H7055	H7039	-----	N8055	N8039	-----
94-97 B Series 2WD							
0-2"	0-3.5"	H7052	H7058	-----	N8052	N8058	-----
3-4"	0-3.5"	H7054	H7058	-----	N8054	N8058	-----
5-8"	4-8"	H7055	H7060	-----	N8055	N8060	-----
86-93 B-2000 & B-2200 2WD							
0-2"	0"	H7052	H7012	-----	N8052	N8012	-----
MITSUBISHI							
85-89 Montero 4WD with 4 Cylinder Engine							
1-2"	1-2"	H7013	H7023	-----	N8013	N8023	-----
83-84 Montero 4WD							
1-2"	1-2"	H7013	H7023	-----	N8013	N8023	-----
83-91 Pickup 4WD							
1-2"	1-2"	H7013	H7058	-----	N8013	N8058	-----

SHOCK APPLICATION GUIDE

Lift Height		HYDRO		Front	NITRO		Front
Front	Rear	Front	Rear	Dual	Front	Rear	Dual
NISSAN							
04-09 Nissan Armada 4WD, 2WD							
-----	0-2.5"	-----	H7012	-----	-----	N8012	-----
04-09 Nissan Titan 2WD/4WD							
-----	0-1"	-----	H7012	-----	-----	N8012	-----
86.5-93 Pathfinder & Terrano 4WD, 2WD							
0-1"	0-1"	H7052	H7023	-----	N8052	N8023	-----
2-4"	2-4"	H7054	H7041	-----	N8054	N8041	-----
86.5-92 Hardbody 4WD							
2-3"	1-2"	H7052	H7023	-----	N8052	N8023	-----
4-5"	3-4"	H7054	H7058	-----	N8054	N8058	-----
83.5-86 Pickup 4WD							
1-2"	0-1"	H7052	H7023	-----	N8052	N8023	-----
87-93 Pickup 2WD							
1-2"	0-1"	H7052	H7023	-----	N8052	N8023	-----
SCOUT							
72-82 Scout II, Terra & Traveler 4WD							
0-1"	0-1"	H7054	H7012	-----	N8054	N8012	-----
2-4"	2-4"	H7055	H7058	-----	N8055	N8058	-----
61-71 Scout 80 & 800 4WD							
0-1"	0-1"	H7012	H7054	-----	N8012	N8054	-----
SUZUKI							
85-92 Samurai / Santana 4WD							
0-2"	0-2"	H7052	H7012	-----	N8052	N8012	-----
3-4"	3-4"	H7054	H7023	-----	N8054	N8023	-----
85-88 LJ10, SJ10 & LJ413 4WD							
0-1"	0-1"	H7054	H7012	-----	N8054	N8012	-----
82-85 LJ413 4WD							
0-1"	0-1"	H7052	H7012	-----	N8052	N8012	-----
TOYOTA							
07-10 Tundra 4WD							
-----	0-2"	-----	H7062	-----	-----	N8062	-----
-----	4-5"	-----	H7066	-----	-----	N8066	-----
00-06 Tundra 4WD							
-----	2.5"	-----	H7048	-----	-----	N8048	-----
05-09 Tacoma 4WD & Pre-Runner 2WD							
-----	0-1"	-----	H7048	-----	-----	N8048	-----
-----	1.5"	-----	H7045	-----	-----	N8045	-----
95.5-04 Tacoma 4WD & Pre-Runner 2WD							
-----	0-3"	-----	H7027	-----	-----	N8027	-----
93-98 T100 4WD							
0-2"	0-1"	H7002	H7058	-----	N8002	N8058	-----
3-4"	2-4"	H7004	H7060	-----	N8004	N8060	-----
86-95 Pickup 4WD							
0-2"	0-2"	H7002	H7047	-----	N8002	N8047	-----
3-4"	3-4"	H7004	H7027	-----	N8004	N8027	-----
84-85 Pickup 4WD							
0-1"	0-1"	H7052	H7047	-----	N8052	N8047	-----
1.5-2.5"	0-1"	H7054	H7047	-----	N8054	N8047	-----
3-4"	1.5-3.5"	H7055	H7027	-----	N8055	N8027	-----
5-6"	4-8.5"	H7055	H7036	-----	N8055	N8036	-----
7-8"	4-8.5"	H7056	H7036	-----	N8056	N8036	-----
79-83 Pickup 4WD							
0-1"	0-2"	H7052	H7058	-----	N8052	N8058	-----
1.5-2.5"	0-2"	H7054	H7058	-----	N8054	N8058	-----
3-4"	0-2"	H7055	H7058	-----	N8055	N8058	-----
5-6"	3-7"	H7055	H7060	-----	N8055	N8060	-----
7-8"	3-7"	H7056	H7060	-----	N8056	N8060	-----

SHOCK APPLICATION GUIDE

Lift Height		HYDRO		Front	NITRO		Front
Front	Rear	Front	Rear	Dual	Front	Rear	Dual
96-01 4Runner 4WD							
-----	0-2.5"	-----	H7022	-----	-----	N8022	-----
90-95 4Runner 4WD, 2WD							
0-2"	0-2"	H7052	H7022	-----	N8052	N8022	-----
3-4"	3-4"	H7054	H7024	-----	N8054	N8024	-----
86-89 4Runner 4WD							
0-2"	0-2"	H7002	H7047	-----	N8002	N8047	-----
3-4"	3-4"	H7004	H7027	-----	N8004	N8027	-----
84-85 4Runner 4WD							
0-1"	0-1"	H7052	H7047	-----	N8052	N8047	-----
1.5-2.5"	0-1"	H7054	H7047	-----	N8054	N8047	-----
3-4"	1.5-3.5"	H7055	H7027	-----	N8055	N8027	-----
5-6"	4-8.5"	H7055	H7036	-----	N8055	N8036	-----
7-8"	4-8.5"	H7056	H7036	-----	N8056	N8036	-----
07-10 FJ Cruiser 4WD							
-----	1.5"	-----	H7089	-----	-----	N8089	-----
-----	2.5"	-----	H7098	-----	-----	N8098	-----
84-87 LandCruiser 60 Series 4WD (Model FJ60)							
0"	0"	H7091	H7047	-----	N8091	N8047	-----
81-83 LandCruiser 60 Series 4WD (Model FJ60)							
0"	0"	H7091	H7023	-----	N8091	N8023	-----
84-89 LandCruiser BJ70, BJ71, BJ73 & BJ75 4WD							
0-1"	0-1"	H7091	H7047	-----	N8091	N8047	-----
91-97 LandCruiser FJ80 4WD							
-----	0-2"	-----	H7024	-----	-----	N8024	-----
86-89 LandCruiser FJ60 4WD							
0-2"	0-2"	H7022	H7047	-----	N8022	N8047	-----
88-89 LandCruiser HJ40 4WD							
0"	0"	H7091	H7047	-----	N8091	N8047	-----
64-84 LandCruiser FJ40, BJ40 & BJ42 4WD							
0-2"	0-2"	H7012	H7023	-----	N8012	N8023	-----
3-4"	3-4"	H7023	H7041	-----	N8023	N8041	-----
5-6"	5-6"	H7023	H7060	-----	N8023	N8060	-----
94-95 LandCruiser KZJ70 & KZJ73 4WD							
0"	0"	H7091	H7047	-----	N8091	N8047	-----
90-93 LandCruiser LJ70 & LJ73 4WD							
0"	0"	H7091	H7047	-----	N8091	N8047	-----
64-81 Wagon FJ43 & FJ45 4WD							
0-1.5"	0-1.5"	H7012	H7023	-----	N8012	N8023	-----

FRONT MULTIPLE SHOCK APPLICATION GUIDE

LIFT	TYPE	PART #	QTY.	SHOCK	NOTES
NOTE: ALL SHOCKS MUST BE ORDERED SEPARATELY					
CHEVROLET/GMC					
67-91 Blazer, Jimmy & Suburban 4WD					
0-1.5"	Dual Front	DS250	2	H7021	
2-5"	Dual Front	DS250	2	H7051	
6-8"	Dual Front	DS250	2	H7071	
9-12"	Dual Front	DS250	2	H7032	
DODGE					
03-08 2500/3500 Ram Pickup 4WD					
2.5"	Dual Front	DS393	2	H7058	
4.5-5"	Dual Front	DS393	2	H7041	
94-01 1/2 & 3/4 Ton Ram Pickup 4WD					
0-1"	Dual Front	DS390	2	H7023	
2-3"	Dual Front	DS390	2	H7023	
4-6"	Dual Front	DS390	2	H7058	
94-01 3/4 HD & 1 Ton Ram Pickup					
0-1"	Dual Front	DS390	2	H7023	
1.5-3"	Dual Front	DS390	2	H7058	
4-5"	Dual Front	DS390	2	H7041	
74.5-93 1/2, 3/4 & 1 Ton Pickup, 74.5-93 Ramcharger / Trailduster 4WD					
0-1"	Dual Front	DS350	2	H7023	
1.5-3"	Dual Front	DS350	2	H7058	
4-6"	Dual Front	DS350	2	H7041	
7-8"	Dual Front	DS350	2	H7060	
FORD					
80-96 F-100, F-150 & Bronco 4WD					
0-2"	Dual Front	DS280	2	H7052	
3-4"	Dual Front	DS280	2	H7054	
5-8"	Dual Front	DS280	2	H7055	
77-79 F-100, F-150 4WD					
0-2"	Dual Front	DS260	2	H7054	
3-4"	Dual Front	DS260	2	H7055	
5-6"	Dual Front	DS260	2	H7056	
7-9"	Dual Front	DS260	2	H7059	
70-76 F-100, F-150 4WD					
0-1"	Dual Front	DS260	2	H7052	
1.5-2"	Dual Front	DS260	2	H7054	
2.5-4"	Dual Front	DS260	2	H7055	
5-6"	Dual Front	DS260	2	H7055	
7-9"	Dual Front	DS260	2	H7061	
00-03 Excursion 4WD & 99-04 F-250 & F-350 Super Duty 4WD					
0-3"	Triple Front	TS950	4	H7012	A9
4-5"	Triple Front	TS950	4	H7058	A9
6-8"	Triple Front	TS950	4	H7041	A9
KIT NOTES: A9. This Kit Adds 2 Shocks Per Side & Requires the Use of OEM Position Front Shock.					
87-98 F-250 4WD - IFS					
0-2"	Triple Front	TS450	4	H7012	
3-6"	Triple Front	TS450	4	H7058	
80-86 F-250 4WD - IFS					
0-2"	Triple Front	TS450	4	H7012	
3-6"	Triple Front	TS450	4	H7023	
77.5-79 F-250 4WD					
4-7"	Dual Front	DS300	2	N8014	

LIFT	TYPE	PART #	QTY.	SHOCK	NOTES
66-77 F-250 High Boy 4WD					
2-4"	Dual Front	DS310	2	N8014	
80-96 F-250 & F-350 2WD					
0-2"	Dual Front	DS280	2	H7052	
3-4"	Dual Front	DS280	2	H7054	
5-8"	Dual Front	DS280	2	H7055	
86-98 F-350 4WD with Straight Axle					
0-2"	Triple Front	TS450	4	H7012	
3-4"	Triple Front	TS450	4	H7058	
5-6"	Triple Front	TS450	4	H7041	
80-85 F-350 4WD - IFS					
0-2"	Triple Front	TS450	4	H7012	
3-6"	Triple Front	TS450	4	H7023	
83-97 Ranger & Bronco II 4WD, 2WD, 94-97 Mazda B4000 4WD, 2WD					
0-2"	Dual Front	DS220	2	H7052	
3-4"	Dual Front	DS220	2	H7054	
5-8"	Dual Front	DS220	2	H7055	
0-2"	Triple Front	TS240	4	H7052	
3-4"	Triple Front	TS240	4	H7054	
5-8"	Triple Front	TS240	4	H7055	
90-94 Explorer 4WD, 2WD, 90-94 Mazda Navajo 4WD, 2WD					
0-2"	Dual Front	DS220	2	H7052	
3-4"	Dual Front	DS220	2	H7054	
5-8"	Dual Front	DS220	2	H7055	
TOYOTA					
79-85 Pickup & 4Runner 4WD					
0-1"	Dual Front	-----	2	H7052	
1.5-2.5"	Dual Front	-----	2	H7054	
3-6"	Dual Front	-----	2	H7055	
7-8"	Dual Front	-----	2	H7056	

REAR MULTIPLE SHOCK APPLICATION GUIDE

LIFT	TYPE	PART #	QTY.	SHOCK	NOTES
NOTE: ALL SHOCKS MUST BE ORDERED SEPARATELY					
CHEVROLET/GMC					
73-87 1/2 Ton Pickup 4WD					
0-1.5"	Dual Rear	DS440	2	H7043	
2-4"	Dual Rear	DS440	2	H7053	
4.5-8"	Dual Rear	DS440	2	H7073	
73-87 3/4 Ton Pickup 4WD					
0-1.5"	Dual Rear	DS445	2	H7043	
2-4"	Dual Rear	DS445	2	H7053	
4.5-8"	Dual Rear	DS445	2	H7073	
77-87 1 Ton Pickup 4WD					
0-1.5"	Dual Rear	DS445	2	H7053	
2-4"	Dual Rear	DS445	2	H7073	
4.5-10"	Dual Rear	DS445	2	H7078	
67-72 1/2 & 3/4 Ton Pickup 4WD					
0-1.5"	Dual Rear	DS442	2	H7043	
2-4"	Dual Rear	DS442	2	H7053	
4.5-8"	Dual Rear	DS442	2	H7073	
73-87 Blazer, Jimmy Full-Size 4WD					
0-1.5"	Dual Rear	DS440	2	H7043	
2-4"	Dual Rear	DS440	2	H7053	
4.5-8"	Dual Rear	DS440	2	H7073	
67-72 Blazer, Jimmy Full-Size 4WD					
0-1.5"	Dual Rear	DS442	2	H7043	
2-4"	Dual Rear	DS442	2	H7053	
4.5-8"	Dual Rear	DS442	2	H7073	
73-91 Suburban 4WD - 1/2 Ton					
0-1.5"	Dual Rear	DS440	2	H7043	
2-4"	Dual Rear	DS440	2	H7053	
4.5-8"	Dual Rear	DS440	2	H7073	
73-91 Suburban 4WD - 3/4 Ton					
0-1.5"	Dual Rear	DS445	2	H7043	
2-4"	Dual Rear	DS445	2	H7053	
4.5-8"	Dual Rear	DS445	2	H7073	
67-72 Suburban 4WD					
0-1.5"	Dual Rear	DS442	2	H7043	
2-4"	Dual Rear	DS442	2	H7053	
4.5-8"	Dual Rear	DS442	2	H7073	
DODGE					
69-93 1/2, 3/4 & 1 Ton Pickup, 69-93 Ramcharger / Trailduster 4WD					
0-3.5"	Dual Rear	DS360	2	H7060	
4-8"	Dual Rear	DS360	2	H7079	
FORD					
80-96 F-100, F-150 4WD - Except with Dual Gas Tanks					
0-1"	Dual Rear	DS360	2	H7058	
1.5-5"	Dual Rear	DS360	2	H7060	
6-9"	Dual Rear	DS360	2	H7079	
70-79 F-100, F-150 4WD					
0-1"	Dual Rear	DS360	2	H7023	
1.5-2"	Dual Rear	DS360	2	H7041	
3.5-4"	Dual Rear	DS360	2	H7041	
5-8"	Dual Rear	DS360	2	H7060	
80-96 F-150 2WD					
0-3.5"	Dual Rear	DS360	2	H7058	
4-8"	Dual Rear	DS360	2	H7060	
80-96 Bronco 4WD, 2WD					
0-3.5"	Dual Rear	DS360	2	H7058	
4-8"	Dual Rear	DS360	2	H7060	

LIFT	TYPE	PART #	QTY.	SHOCK	NOTES
78-79 Bronco 4WD					
0"	Dual Rear	DS360	2	H7012	
1-2"	Dual Rear	DS360	2	H7023	
3-5"	Dual Rear	DS360	2	H7058	
6-10"	Dual Rear	DS360	2	H7060	
67-77 Bronco 4WD					
0"	Dual Rear	-----	2	H7012	
1-2.5"	Dual Rear	-----	2	H7023	
3.5-5"	Dual Rear	-----	2	H7058	
5.5-10"	Dual Rear	-----	2	H7060	
80-96 F-250 4WD - Except with Dual Gas Tanks					
0-1"	Dual Rear	DS360	2	H7058	
1.5-5"	Dual Rear	DS360	2	H7060	
5.5-8"	Dual Rear	DS360	2	H7079	
77.5-79 F-250 4WD - Except with Dual Gas Tanks					
0"	Dual Rear	DS360	2	H7058	
1-3"	Dual Rear	DS360	2	H7041	
3.5-6"	Dual Rear	DS360	2	H7060	
66-77 F-250 High Boy 4WD - Except with Dual Gas Tanks					
0-4"	Dual Rear	DS360	2	H7041	
80-96 F-250 & F-350 2WD					
0-3.5"	Dual Rear	DS360	2	H7058	
4-8"	Dual Rear	DS360	2	H7060	
80-98 F-350 High Boy 4WD - Except with Dual Gas Tanks					
0-4"	Dual Rear	DS360	2	H7060	
4.5-8"	Dual Rear	DS360	2	H7079	
83-97 Ranger 4WD					
0-1"	Dual Rear	-----	2	H7058	
1.5-4"	Dual Rear	-----	2	H7060	
4.5-8"	Dual Rear	-----	2	H7079	
83-97 Ranger 2WD					
0-3.5"	Dual Rear	-----	2	H7058	
4-8"	Dual Rear	-----	2	H7060	
83-90 Bronco II 4WD, 2WD					
0-3.5"	Dual Rear	-----	2	H7058	
4-8"	Dual Rear	-----	2	H7060	






SHOCK SPECIFICATIONS GUIDE

SHOCKS SERIES		LENGTHS		MOUNTING CODES		OPTION	NOTES
HYDRO	NITRO	EXTENDED	COLLAPSED	UPPER	LOWER		
H7002	N8002	15.69	10.02	S1	ES113	EB4	
H7003	N8003	18.5	12.25	S1	Clevis		
H7004	N8004	18.66	11.52	S1	ES113	EB4	
H7006	-----	16.14	10.15	S1	BP4	EB1	A2
SHOCK NOTE: A2. Slim Body - 2"							
H7008	N8008	19.07	12.07	BP18	ES24	EB1, EB1	
H7009	N8009	15.35	10.33	S1	Clevis		
H7010	-----	16.14	10.15	S1	ES34	EB4	A2
SHOCK NOTE: A2. Slim Body - 2"							
H7011	N8011	19.07	12.07	EB7	ES24	EB1, EB1	
H7012	N8012	19.07	12.07	ES25	ES25	EB1, EB1	
H7013	N8013	15.69	10.02	S1	BP4	EB1	
-----	N8014	27.01	15.06	S1	S1		
H7015	N8015	18.66	11.52	S1	BP4	EB1	
H7016	N8016	22.75	13.54	S1	BP4	EB1	
H7017	N8017	27.07	15.94	ES34	ES34	EB4, EB4	
H7018	N8018	22.58	13.71	BP18	ES24	EB1, EB1	
H7019	N8019	15.69	10.02	S1	ES60	EB4	
H7020	-----	16.14	10.15	S1	BP13	EB1	A2
SHOCK NOTE: A2. Slim Body - 2"							
H7021	N8021	19.07	12.07	ES31	ES24	EB1	
H7022	N8022	22.75	13.54	S1	EB4		
H7023	N8023	22.58	13.71	ES25	ES25	EB1, EB1	
H7024	N8024	24.75	14.54	S1	EB4		
H7025	N8025	24.75	14.54	S1	BP4	EB1	
H7027	N8027	24.84	14.82	ES34	ES34	EB4, EB4	
H7028	N8028	24.84	14.82	BP18	ES24	EB1, EB1	A2
SHOCK NOTE: A2. Slim Body - 2"							
H7029	N8029	24.84	14.82	BP8	ES25	EB1, EB1	
H7030	N8030	26.57	15.69	ES34	ES34	EB4,EB4	A2
SHOCK NOTE: A2. Slim Body - 2"							
H7032	N8032	29.83	17.32	ES31	ES24	EB1	
H7034	N8034	29.83	17.32	BP8	ES25	EB1, EB1	
H7035	N8035	22.75	13.54	S1	ES25	EB1	
H7036	N8036	29.83	17.32	ES34	ES34	EB4, EB4	
H7037	N8037	25.35	15.05	BP12	ES25	EB1, EB1	A2
SHOCK NOTE: A2. Slim Body - 2"							
H7038	N8038	29.83	17.32	ES27	EB4	EB1	
H7039	N8039	29.83	17.32	BP8	ES25	EB1, EB1	
H7040	N8040	18.12	11.28	S1	ES37		A1
SHOCK NOTE: A1. Slim Body - 1.86"							
H7041	N8041	26.07	15.57	ES25	ES25	EB1, EB1	
H7042	N8042	22.58	13.71	ES82	ES24	EB1, EB1	
H7043	N8043	24.84	14.82	EB7	ES34	EB1, EB4	
H7044	N8044	24.84	14.82	ES82	ES24	EB1, EB4	
H7045	N8045	24.75	14.54	S1	ES22		
H7047	N8047	22.58	13.71	EB4	EB4		
H7048	N8048	22.75	13.54	S1	ES22		
H7049	N8049	28.75	16.56	S1	BP4	EB1	
H7051	N8051	22.58	13.71	ES31	ES24	EB1	
H7052	N8052	15.69	10.02	S1	ES25	EB1	
H7053	N8053	27.07	15.94	EB7	ES34	EB1, EB4	
H7054	N8054	18.66	11.52	S1	ES25	EB1	
H7055	N8055	22.75	13.54	S1	ES25	EB1	
H7056	N8056	24.75	14.54	S1	ES25	EB1	
H7057	N8057	26.79	15.56	S1	ES25	EB1	A2
SHOCK NOTE: A2. Slim Body - 2"							
H7058	N8058	24.84	14.82	ES25	ES25	EB1, EB1	
H7059	N8059	28.75	16.56	S1	ES25	EB1	
H7060	N8060	29.83	17.32	ES25	ES25	EB1, EB1	
H7061	N8061	30.46	17.42	S1	ES25	EB1	
H7062	N8062	25.75	15.44	S38	ES25	EB1	
H7063	N8063	27.07	15.94	BP18	ES24	EB1, EB1	A2

SHOCK SPECIFICATIONS GUIDE

SHOCKS SERIES		LENGTHS		MOUNTING CODES		OPTION	NOTES
HYDRO	NITRO	EXTENDED	COLLAPSED	UPPER	LOWER		
SHOCK NOTE: A2. Slim Body - 2"							
H7065	N8065	24.79	14.56	S1	ES25	EB1	
H7066	N8066	28.75	16.50	S38	ES25	EB1	
H7067	H7067	26.80	15.91	BP12	ES25	EB1, EB1	A2
SHOCK NOTE: A2. Slim Body - 2"							
H7068	N8068	34	20.27	ES27	EB4	EB1	
H7070	N8070	28.59	16.70	ES34	ES34	EB4,EB4	A2
SHOCK NOTE: A2. Slim Body - 2"							
H7071	N8071	26.07	15.57	ES31	ES24	EB1	
H7072	N8072	26.07	15.57	BP8	ES34	EB1, EB1	
H7073	N8073	29.83	17.32	EB7	ES34	EB1, EB4	
H7074	N8074	22.25	13.47	S38	ES34	ES60	A2
SHOCK NOTE: A2. Slim Body - 2"							
H7075	N8075	26.75	15.56	S1	ES25	EB1	
H7077	N8077	34	20.27	BP8	ES25	EB1, EB1	
H7078	N8078	34	20.27	EB7	ES34	EB1, EB4	
H7079	N8079	34	20.27	ES25	ES25	EB1, EB1	
H7080	---- ----	14.5	9.68	EB7	ES24	EB1, EB1	
H7081	N8081	19.07	12.07	ES33	ES82	EB1	
H7082	N8082	19.07	12.07	ES82	ES82	EB1, EB1	
H7083	N8083	27.07	15.94	BP8	ES34	EB1, EB4	A2
SHOCK NOTE: A2. Slim Body - 2"							
H7084	N8084	24.84	14.82	BP8	ES34	EB1, EB4	
H7085	N8085	22.58	13.92	ES33	ES82	EB4	
H7086	N8086	29.83	17.32	BP8	ES34	EB1, EB4	
H7087	N8087	28.59	16.70	BP12	ES25	EB1,EB1	A2
SHOCK NOTE: A2. Slim Body - 2"							
H7088	N8088	24.84	14.82	ES25	ES25	EB1, EB1	A2
SHOCK NOTE: A2. Slim Body - 2"							
H7089	N8089	23.75	14.84	S40	ES36		A2
SHOCK NOTE: A2. Slim Body - 2"							
H7091	N8091	22.63	13.75	S38	ES34	ES60	
H7092	N8092	24.63	14.75	S38	ES34	EB4	
H7093	N8093	26.63	15.75	S38	ES34	EB4	
H7094	N8094	28.75	16.5	S38	ES34	EB4	
H7096	N8096	21.5	13.76	S1	Clevis		
H7097	N8097	23.5	13.92	S1	ES25	EB1	A2
SHOCK NOTE: A2. Slim Body - 2"							
H7098	N8098	24.75	15.84	S40	ES36		
STEERING STABILIZERS							
STABILIZER SERIES		LENGTHS		MOUNTING CODES		OPTION	NOTES
WHITE		EXTENDED	COLLAPSED	UPPER	LOWER		
7000	---- ----	23.9	14.35	EB1	EB1		
7202	---- ----	20.62	12.62	EB1	EB1		A1
7400	---- ----	19.38	12.11	EB1	EB1		
7500	---- ----	17.06	10.48	S1	EB1		A1
7800	---- ----	21.65	12.77	S1	S1		
7900	---- ----	20.21	12.05	S1	S1		
SHOCK NOTE: A1. Slim Body - 1.86"							

SHOCK SPECIFICATIONS GUIDE



To order replacement hardware, please use mounting code part numbers listed under appropriate shock in Shock Specifications Guide.

For example:

ES25 = (1) Hourglass 5/8" bushing + (1) sleeve for (1) shock end

BP4 = (1) Hourglass 5/8" bushing + (1) bar pin for (1) shock end

Note: All mounting code hardware contains (1) bushing.

SHOCK & STABILIZER BOOTS							
Color	EACH		Color	EACH		Color	EACH
Blue	B10B		Hunter Green	B10HG		Red	B10R
Clear	B10CL		Black	B10K		Raspberry	B10RB
Hot Green	B10FG		Light Blue	B10LB		Teal	B10TL
Hot Pink	B10FP		Lavender	B10LV		White	B10WH
Orange	B10OG		Purple	B10PR		Yellow	B10Y
Gray	B10GY						